

Product Description

The CLIFT Industrial Wall Light is a robust lighting fixture featuring a black body constructed from metal and glass. It is designed with a compact profile, measuring 347mm in length, 246mm in width, and 98mm in height. This luminaire offers versatile performance with wattage configurations ranging from 30W to 100W, delivering a corresponding luminous output between 4200 and 14000 lumens at an efficacy of 140 lm/W. For varied lighting needs, it provides selectable color temperatures of 3000K, 4000K, or 5000K, projecting an asymmetric beam angle with a color rendering index of 80. Built for demanding conditions, it operates reliably in ambient temperatures from -40°C to 50°C and includes an IP65 rating, IK08 impact protection, and a 0/1 - 10V dimmable option.

Lamp

Wattage	: 30W 40W 60W 80W 100W
CCT	: 3000K 4000K 5000K
Beam Angle	: Asymmetric
CRI	: 80

Body

Color	: Black
Material	: Metal & Glass
Length	: 347mm
Width	: 246mm
Height	: 98mm

Electric


Voltage	: 120-277V
Luminaire Efficacy	: 140 lm/W
Lumen at 30W	: 4200 lm
Lumen at 40W	: 5600 lm
Lumen at 60W	: 8400 lm
Lumen at 80W	: 11200 lm
Lumen at 100W	: 14000 lm

Other

Control	: On/Off
IP Rating	: IP65
IK Rating	: IK08
Dimmable Option	: 0/1 - 10V
Ambient temperature	: -40°C to 50°C.



Optical



Type IV

Assymetric Beam Angle

